Serial Number: 10/629,857

OA dated 9/23/04 Amdt. dated 12/23/04

IN THE CLAIMS:

Claim 1 (Currently amended): A polypropylene-based resin composition for metallized films, comprising:

- (A) 100 parts by weight of a propylene random copolymer <u>produced in the</u> presence of a metallocene catalyst, which has having the properties (a-1) to (a-5):
- (a-1) propylene unit present at 88 to 99.5% by mol, and ethylene and/or butene structural unit present at 0.5 to 12% by mol,
 - (a-2) melt flow rate (MFR_A) of 1 to 30g/10 minutes,
- (a-3) polydispersity index (PI), determined by the melt viscoelasticity analysis, of 2.4 to 4,
- (a-4) solubles contained at 20°C or lower, determined by cross fractionation chromatography (CFC), at 1.5% by weight or less, and the solubles having a weight-average molecular weight of 0.1×10⁴ to 6.0×10⁴, and
- (a-5) solubles contained at 40°C or lower, determined by cross fractionation chromatography (CFC), at 4.0% by weight or less, and the solubles having a weight-average molecular weight of 0.1×10⁴ to 8.0×10⁴,
- (B) 0.01 to 6 parts by weight of a polyethylene resin having a density of 0.945 to 0.980g/cm^3 , melt index (MI_B) of 1 to 1000 g/10 minutes, and ratio of MI_B to MFR_A, i.e., (MI_B/MFR_A) ratio, of 0.7 to 1000,

Serial Number: 10/629,857

OA dated 9/23/04

Amdt. dated 12/23/04

(C) 0.01 to 0.7 parts by weight of an antiblocking agent having an average

particle size of 1.0 to $5.0\mu m$ and pore volume of 1.7mL/g or less,

(D) 0.01 to 0.5 parts by weight of an antioxidant having a molecular weight of 500

or more, and

(E) 0.005 to 0.5 parts by weight of a hydrotalcite-based compound.

Claim 2 (Original): The polypropylene-based resin composition according to Claim

1 for metallized films, wherein said propylene random copolymer (A) further has the

property (a-6), and antiblocking agent (C) has a pore volume of 0.45mL/g or more and

wear rate of 100mg or less:

(a-6) melting point (Tp), determined by differential scanning calorimetry (DSC), of

115 to 150°C.

Claim 3 (Previously presented): The polypropylene-based resin composition

according to Claim 1 for metallized films, wherein said antioxidant (D) is a phenol- and/or

phosphorus-based one.

Claim 4 (Canceled):

Claim 5 (Previously presented): A film for metallization, composed of the

polypropylene-based resin composition according to Claim 1 for metallized films.

3

Serial Number: 10/629,857

OA dated 9/23/04

Amdt. dated 12/23/04

Claim 6 (Original): The film according to Claim 5 for metallization, satisfying the

following relationship:

730=14×[HST]-[YM]=1340(1)

(wherein, [HST] is a heat seal temperature (unit: °C) at which the load is 3N, and [YM] is

a tensile modulus (unit: MPa) of the film).

Claim 7 (Previously presented): A metallized film comprising the film according to

Claim 5 for metallization, metallized with a metal and/or its oxide.

Claim 8 (Previously presented): The polypropylene-based resin composition

according to Claim 2 for metallized films, wherein said antioxidant (D) is a phenol- and/or

phosphorus-based one.

Claim 9 (Canceled).

Claim 10 (Previously presented): A film for metallization, composed of the

polypropylene-based resin composition according to Claim 2 for metallized films.

Claim 11 (Previously presented): A metallized film comprising the film according to

Claim 10 for metallization, metallized with a metal and/or its oxide.

4

Serial Number: 10/629,857 OA dated 9/23/04 Amdt. dated 12/23/04

Claim 12 (Previously presented): A metallized film comprising the film according to Claim 6 for metallization, metallized with a metal and/or its oxide.